

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	105	scanner and (automat\$3 near\$5 maintenance)	USPAT	2003/06/11 09:46		
2	BRS	265	358/474.ccls. and (monitor\$3 maintenance diagnostic\$1 servic\$3)	USPAT	2003/04/16 10:15		
3	BRS	0	(358/474.ccls. and (monitor\$3 maintenance diagnostic\$1 servic\$3)) and (performance adj deterioration)	USPAT	2003/04/09 15:17		
4	BRS	0	(358/474.ccls. and (monitor\$3 maintenance diagnostic\$1 servic\$3)) and (performance adj quality)	USPAT	2003/04/09 15:36		
5	BRS	2	(358/474.ccls. and (monitor\$3 maintenance diagnostic\$1 servic\$3)) and (image adj deterioration)	USPAT	2003/04/16 11:21		
6	BRS	0	399/11.ccls. and (image adj deterioration)	USPAT	2003/04/09 15:35		
7	BRS	0	(399/11.ccls. and (monitor\$3 maintenance diagnostic\$1 servic\$3)) and (performance adj quality)	USPAT	2003/04/09 15:36		
8	BRS	66	399/11.ccls. and (monitor\$3 maintenance diagnostic\$1 servic\$3)	USPAT	2003/04/09 16:45		
9	BRS	1	6330083.pn.	USPAT	2003/04/09 16:45		
10	BRS	80	358/461.ccls. and (monitor\$3 maintenance diagnostic\$1 servic\$3)	USPAT	2003/04/16 10:15		
11	BRS	28711	(calibration (gain adj control)) and (maximum and minimum)	USPAT	2003/04/16 11:23		
12	BRS	23885	((calibration (gain adj control)) and (maximum and minimum)) and (scan\$4 read\$3)	USPAT	2003/06/11 14:55		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
13	BRS	6974	((calibration (gain adj control)) and (maximum and minimum)) and (scan\$4 read\$3)) and (service maintenance)	USPAT	2003/04/16 11:26		
14	BRS	511	((calibration (gain adj control)) and (maximum and minimum)) and (scan\$4 read\$3)) and (service maintenance)) and deterioration	USPAT	2003/06/11 10:49		
15	BRS	0	((calibration (gain adj control)) and (maximum and minimum)) and (scan\$4 read\$3)) and (service maintenance)) and deterioration) and 358/466.ccls.	USPAT	2003/04/16 11:29		
16	BRS	2	((calibration (gain adj control)) and (maximum and minimum)) and (scan\$4 read\$3)) and (service maintenance)) and deterioration) and 358/461.ccls.	USPAT	2003/04/16 11:29		
17	BRS	513	((calibration (gain adj control)) and (maximum and minimum)) and (scan\$4 read\$3)) and (service maintenance)) and deterioration	USPAT	2003/05/01 08:46		
18	BRS	4	((calibration (gain adj control)) and (maximum and minimum)) and (scan\$4 read\$3)) and (service maintenance)) and deterioration) and scanner and (performance near\$3 deterioration)	USPAT	2003/05/01 08:55		
19	BRS	1190	ccd and (calibrat\$3 (gain adj control)) and (dust hair defect)	USPAT	2003/05/01 09:31		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
20	BRS	8	((ccd and (calibrat\$3 (gain adj control)) and (dust hair defect)) and ((maximum minimum) adj value) near5 (stor\$3) and evaluat\$3))	USPAT	2003/05/01 09:25		
21	BRS	7	((ccd and (calibrat\$3 (gain adj control)) and (dust hair defect)) and ((maximum minimum) near3 (illumination density intensity)) near5 (stor\$3))	USPAT	2003/05/01 09:32		
22	BRS	7201	ccd and (calibrat\$3 (gain adj control))	USPAT	2003/05/01 09:31		
23	BRS	27	((ccd and (calibrat\$3 (gain adj control)) and ((maximum minimum) near3 (illumination density intensity)) near5 (stor\$3))	USPAT	2003/06/06 12:42		
24	BRS	0	((rate degree) near3 (scanner near3 (performance near3 deteriorat))	USPAT	2003/06/06 12:44		
25	BRS	4	((scanner near3 (performance near3 deteriorat))	USPAT	2003/06/06 12:48		
26	BRS	1	((ccd\$1) near3 (performance near3 deteriorat))	USPAT	2003/06/06 12:49		
27	BRS	139	((ccd chip\$1 cell\$3) near3 (performance near3 deteriorat))	USPAT	2003/06/06 12:54		
28	BRS	9	maximum near7 (scanner adj output)	USPAT	2003/06/10 16:49		
29	BRS	1001	((maximum minimum) near7 (illumination bright\$4 light\$3)) near10 (pixel\$1 (picture adj element\$1))	USPAT	2003/06/10 16:53		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
30	BRS	0	((((maximum minimum) near7 (illumination bright\$4 light\$3)) near10 (pixel\$1 (picture adj element\$1))) and (monitor\$3 near7 imag\$3)) and (deteriorat\$3 near7 performance)	USPAT	2003/06/10 16:56		
31	BRS	15	((((maximum minimum) near7 (illumination bright\$4 light\$3)) near10 (pixel\$1 (picture adj element\$1))) and (monitor\$3 near7 imag\$3)) and maintenance	USPAT	2003/06/10 16:56		
32	BRS	203	((((maximum minimum) near7 (illumination bright\$4 light\$3)) near10 (pixel\$1 (picture adj element\$1))) and (monitor\$3 near7 imag\$3)	USPAT	2003/06/10 17:10		
33	BRS	1	6330083.pn.	USPAT	2003/06/10 17:10		
34	BRS	0	6330083.URPN.	USPAT	2003/06/10 17:11		
35	BRS	4	("4926253" "4931882" "5513018" "5717790").PN.	USPAT	2003/06/10 17:11		
36	BRS	336	(image near3 (reader scanner)) and ((project\$3 requir\$3 need\$2) near3 (maintenance service))	USPAT	2003/06/11 09:56		
37	BRS	3	((image near3 (reader scanner)) and ((project\$3 requir\$3 need\$2) near3 (maintenance service))) and (performance near3 deteriorat\$3)	USPAT	2003/06/11 09:51		
38	BRS	64	((image near3 (reader scanner)) and ((project\$3 requir\$3 need\$2) near3 (maintenance service))) and (scanner near3 output)	USPAT	2003/06/11 09:57		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
39	BRS	135	358/446.ccls.	USPAT	2003/06/11 10:50		
40	BRS	6	358/446.ccls. and ccd and deterioration	USPAT	2003/06/11 11:06		
41	BRS	0	((image adj (reader scanner)) and (maximum minimum)) near3 (pixel\$1 near3 value)	USPAT	2003/06/11 11:08		
42	BRS	0	((image adj (reader scanner)) and (maximum minimum)) near3 ((scanner near3 output) near3 value)	USPAT	2003/06/11 11:09		
43	BRS	28	((calibration (gain adj control)) and (maximum and minimum)) and (scan\$4 read\$3) and 358/446.ccls.	USPAT	2003/06/11 14:56		
44	BRS	1	5692065.pn.	USPAT	2004/06/16 07:52		